4

5

6

7

8

9

10

11

12

13

14

15

16

17 18

19

20

21

22

23

24

25

26

27

28

29 30

2

In the Claims:

Amendment to the Claims

Please amend Claims 40-42, 44, 52-55, 57, and 58 as follows:

1-39. (Previously Canceled)

- 40. (Currently Amended) A method for utilizing a plurality of menus to access selected data in a menu database opened with a database program, comprising the steps of:
- providing a monu template that defines a format for each of the plurality of (a) menus, a menu template modifier, and at least one menu database comprising a plurality of database records, said menu template modifier being capable of generating a menu based on said menu template and the data in said plurality of database records, the menu thus generated including a plurality of menu items providing a plurality of database records, a menu template, and a menu template modifier, such that each database record:
- corresponds to a previously developed menu that includes a plurality of **(i)** menu items; and
- can be used to re-create the corresponding previously developed menu (ii) for display to a user, by using the menu template modifier to modify the menu template in accord with the contents of the database record, the menu template defining the format of the previously developed menu;
- enabling a user to select a desired menu from the menu database one of the (b) previously developed menus;
- using said menu template modifier, said menu template, and a database record to generate the desired menu corresponding to the previously developed menu selected by the user to re-create the previously developed menu selected by the user, said database record corresponding to the previously developed menu selected by the user defining an appearance and a functionality of the menu items included within the desired menu previously developed menu selected by the user;
- displaying said desired menu to a user desired menu the recreation of the (d) previously developed menu to the user to enable the user to select at least one of said plurality of menu items, said menu items the database record corresponding to the previously developed menu selected by the user including that is selected having a database-record that includes at least one event associated with the menu item that was selected; and

- (e) in response to the menu item being selected by the user, causing said at least one of the plurality of events included in the database record event associated with the menu item that was selected, to occur.
- 41. (Currently Amended) The method of Claim 40, wherein the step of enabling said at least one of a plurality of events to occur causing said at least one event associated with the menu item that was selected to occur comprises at least one of the steps of displaying an additional menu, displaying an image, displaying textual data, playing audio data, playing audio-visual data, playing video data, connecting to hyperlinked data, connecting to a webpage, establishing a telephonic connection, changing the menu database, displaying another menu, and selecting another menu item.
- 42. (Currently Amended) The method of Claim 41, wherein the database record includes a plurality of events associated with the menu item selected by the user, further comprising the step of providing a sequencer component that determines an order in which [[a]] the plurality of events associated with [[a]] the menu item should occur and implements a timing function for causing the plurality of events to occur in said order.
- 43. (Original) The method of Claim 41, further comprising the step of enabling the user to disable sequencer events and the timer function, so that the user can bypass data with which the user is familiar and navigate through a sequence of menus more rapidly.
- 44. (Currently Amended) The method of Claim 41, wherein the plurality of database records define a plurality of previously developed menus that are sequential, further comprising the [[steps]] step of enabling the user to select at least one of a sequence of menu databases, a sequence of menus, and a sequence of menu items, by selecting a single menu item:
- (a) providing a plurality a database records that define a plurality of sequential menus; and
- (b) enabling the user to select at least one of a sequence of menu databases, a sequence of menus, and a sequence of menu items; by selecting a single menu item.
- 45. (Original) The method of Claim 40, further comprising the step of providing a tracker component that records each menu item selected.
- 46. (Original) The method of Claim 45, wherein when an additional menu is displayed to a user, said tracker generates a textual report of menu items selected by a user on an immediately preceding menu.

- 47. (Previously Presented) The method of Claim 45, further comprising the step of enabling a user to generate a report that includes each previously selected menu item, said report being usable to provide results of a questionnaire comprising the menu items displayed to the user from which the user selected specific menu items.
- 48. (Previously Presented) The method of Claim 40, further comprising the steps of providing a timer function that automates display of successive menus, and enabling a user to selectively enable and disable said timer function.
- 49. (Original) The method of Claim 40, wherein the menu template displays the plurality of menu items in a spatial organization so that each menu item has a one-to-one relationship with a corresponding one of at least a portion of a plurality of keys on a keyboard input device.
- 50. (Original) The method of Claim 49, wherein the spatial organization of the menu items generally duplicates a spatial organization of at least a portion of a plurality of keys on a numeric keypad.
- 51. (Original) The method of Claim 40, further comprising the steps of providing an edit function with the menu template modifier, and enabling a user to selectively edit one of a desired menu and a desired menu item in a menu with the menu template modifier.
- 52. (Currently Amended) An article of manufacture adapted for use with a computing device, comprising:
 - (a) a memory medium; and
- (b) a plurality of machine instructions stored on the memory medium, which when executed by a processor of the computing device, cause the processor to:
- (i) enable a user to select a desired menu database record corresponding to a previously developed menu in a menu database opened in a database program, the previously developed menu having been saved as a database record that can be used in conjunction with a menu template and a menu template modifier to re-create the previously developed menu, to reduce an amount of memory required to store the previously developed menu;
- (ii) access [a] the menu template, [a] the menu template modifier, and a plurality of database records in which data are included the database record corresponding to the previously developed menu, the database record including data that define an appearance of the

LAW OFFICES OF RONALD M. ANDERSON

use the menu template, the menu template modifier, and the plurality of

display said desired menu the recreation of the previously developed

enable at least one of a plurality of events associated with the menu

(Currently Amended) The article of manufacture of Claim 52, wherein said menu

template defines a format in which the menu items in the desired menu previously developed menu are

displayed so that a layout of the menu items generally duplicates a layout of at least a portion of a

1 2 desired menu previously developed menu, and an appearance and functionality for a plurality of menu items included in the desired menu previously developed menu;

menu to a user to enable a user to select at least one of a plurality of menu items; and

item that was selected to occur in response to the selection of the menu item.

4 5

3

database records database record corresponding to the previously developed menu to recreate the desired menu previously developed menu;

(iv)

(v)

plurality of keys on a keyboard input device.

6 7

8

9 10

11

12 13

14

15 16

III17

/// ///

III

/// 18

/// 19

20 ///

21 III

22 ///

23 ///

24 ///

25 ////

26 111

27 111 28 ///

///

///

29

30

LAW OFFICES OF RONALD M. ANDERSON

600 - 108th Avenue N.E., Suite 507 Bellevue, Washington 98004

- 3
- 4
- 5 6 7
- 8 9
- 10 11
- 12 13
- 14
- 15 16
- 17 18
- 19
- 20 21
- 22
- 23 24 25
- 26 27
- 28 29
- 30

///

- 54. (Currently Amended) A system for enabling a user to access data in a menu database opened with a database program, using a plurality of predefined menus, comprising:
 - a memory in which a plurality of machine instructions are stored; (a)
 - **(b)** a display;
 - a keyboard input device comprising a plurality of keys; and (c)
- a processor that is coupled to the display and to the memory to access the (d) machine instructions, said processor executing said machine instruction to implement a plurality of functions, including:
- enabling a user to select a database record corresponding to a (i) previously developed menu from the menu database, said desired menu previously developed menu including a plurality of menu items, the previously developed menu having been saved as a database record that can be used in conjunction with a menu template that defines a format of the previously developed menu, and a menu template modifier, to re-create the previously developed menu, in order to reduce an amount of memory required to store the previously developed menu;
- using [a] the menu template that defines [a] the format of the desired (ii) menu, [a] the menu template modifier, and [a] the database record included in selected from the menu database, recreating the desired menu previously developed menu, said database record including data that define an appearance and functional parameters of the menu items;
- displaying said desired menu re-creation of the previously developed menu to the user, and enabling the user to select at least one of a plurality of menu items, the data defining each menu item in [a] the database record specifying any events associated with the menu item; and
- enabling at least one of a plurality of events associated with the menu (iv) item[[s]] that was selected by the user to occur.
- 55. (Currently Amended) The system of Claim 54, wherein said menu template formats a layout of the menu items included in the desired menu re-creation of the previously developed menu to generally duplicate a layout of a plurality of keys on at least a portion of a keyboard input device, so that there is a one-to-one relationship between each menu item and a corresponding one of the plurality of keys in said at least the portion of the keyboard input device.

-6-

- 56. (Original) The system of Claim 55, wherein said at least the portion of keys comprises a numeric keypad of a keyboard.
- 57. (Currently Amended) A method for utilizing a plurality of menus to access selected data in a menu database opened with a database program, each menu being configured to be displayed to a user in its entirety at the same time simultaneously display all menu items corresponding to that menu, comprising the steps of
- (a) providing a menu template that defines a format for each of the plurality of menus, a menu template modifier, and at least one menu-database comprising a plurality of database records, each database record comprising sufficient data-to enable said menu template modifier to generate a unique menu-based on said menu-template and the data in each database record, the menu-thus generated including a plurality of menu-items providing a plurality of database records, a menu-template, and a menu-template modifier, such that each database record:
- (i) corresponds to a previously developed menu that includes a plurality of menu items; and
- (ii) can be used to re-create the corresponding previously developed menu for display to a user, by using the menu template modifier to modify the menu template in accord with the contents of the database record, the menu template defining the format of the previously developed menu;
- (b) enabling a user to select a unique database record corresponding to a previously generated menu from the menu database;
- (c) using said menu template modifier, said menu template, and the unique selected database record corresponding to the previously generated menu corresponding to the selected database record, the unique selected database record defining an appearance and a functionality of the menu items included within the previously generated menu corresponding to the selected database record;
- (d) displaying the re-created recreation of the previously generated menu corresponding to the selected database record to a user to enable the user to select at least one of said plurality of menu items, said menu items that is selected having a database record that includes at least one event associated with the menu item data in the selected database record including at least one event associated with said plurality of menu items; and

- in response to the menu item being selected by the user, causing said at least (e) one event included in the database record associated with the menu item that was selected, to occur.
- 58. (Currently Amended) The article of manufacture of Claim 52, wherein the machine instructions, when executed by a processor, further cause the actuation of a specific key to execute an action by accessing data in the plurality of database-records database record corresponding to the desired menu previously generated menu to enable the action to be executed.